

ORIGINAL

UTILITY: Sandario Water Company, Inc.
DOCKET NO: W-01831A-16-0197 and W-01831A-16-0293

DECISION NO: 76527
EFFECTIVE: January 3, 2018

SURCHARGE TARIFF SCHEDULE

MONTHLY COBANK SURCHARGE

	Debt Service		Debt Reserve		Total Surcharge
	<u>Component</u>		<u>Component</u>		
5/8 x 3/4 Inch Meter	\$2.70	+	\$1.03	=	\$3.73
3/4 Inch Meter	\$4.05	+	\$1.54	=	\$5.59
1 Inch Meter	\$6.74	+	\$2.58	=	\$9.32
1 1/2 Meter	\$13.49	+	\$5.16	=	\$18.65
2 Inch Meter	\$21.58	+	\$8.26	=	\$29.84
3 Inch Meter	\$40.46	+	\$15.49	=	\$55.95
4 Inch Meter	\$67.44	+	\$25.80	=	\$93.24
6 Inch Meter	\$134.87	+	\$51.61	=	\$186.48

The above monthly surcharge is **in addition** to the current monthly rates and charges already in effect for the Company. This surcharge will become effective immediately. The above monthly surcharge is **in addition** to the current monthly rates and charges already in effect for the Company. The debt service component of the monthly loan surcharge shall automatically expire at the end of the loan term, usually 240 months, or upon full payment of the loan, per Decision No. 76071. The debt reserve component will expire at the end of 24 months, or when the reserve fund amount of \$8,000 is fully funded, whichever occur first.

APPROVED FOR FILING
DECISION #: 76527

ORIGINAL

WATER TARIFF SCHEDULE

UTILITY: Sandario Water Company, Inc.
DOCKET NO: W-01831A-16-0197 ET. AL.

DECISION NO:
EFFECTIVE:

76071
01-May-17

RATES AND CHARGES

MONTHLY USAGE CHARGE:

5/8 x 3/4 - Inch Meter	\$	24.75
3/4 - Inch Meter		37.00
1 - Inch Meter		60.00
1 1/2 - Inch Meter		120.00
2 - Inch Meter		200.00
3 - Inch Meter		400.00
4 - Inch Meter		625.00
6 - Inch Meter		1,250.00
Bulk Water (5/8 x 3/4-inch meter)		N/A

COMMODITY RATES:

5/8 x 3/4-Inch Meter and 3/4-inch Meter - Residential and Commercial (per 1,000 Gallons)

First 3,000 gallons	\$	1.95
From 3,001 to 9,000 gallons		2.70
Over 9,000 gallons		3.40

1-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 10,000 gallons	\$	2.70
Over 10,000 gallons		3.40

1 1/2-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 25,000 gallons	\$	2.70
Over 25,000 gallons		3.40

2-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 50,000 gallons	\$	2.70
Over 50,000 gallons		3.40

3-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 100,000 gallons	\$	2.70
Over 100,000 gallons		3.40

4-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 150,000 gallons	\$	2.70
Over 150,000 gallons		3.40

6-Inch Meter - Residential and Commercial (per 1,000 gallons)

First 200,000 gallons	\$	2.70
Over 200,000 gallons		3.40

Bulk Water

\$ 3.40

APPROVED FOR FILING
76091
DECISION #: 76061

WATER TARIFF SCHEDULE

UTILITY: Sandario Water Company, Inc.
DOCKET NO: W-01831A-16-0197 ET. AL.

DECISION NO:
EFFECTIVE:

76071
01-May-17

SERVICE LINE AND METER INSTALLATION CHARGES:
(Refundable pursuant to A.A.C. R14-2-40-5)

	Service Line	Meter Installation	Total
5/8-inch x 3/4-inch Meter	\$ 490	\$ 132	\$ 622
3/4-inch Meter	490	233	723
1-inch Meter	547	293	840
1 1/2-inch Meter	610	506	1,116
2-inch Turbine Meter	927	1,031	1,958
2-inch Compound Meter	927	1,884	2,811
3-inch Turbine Meter	1,171	1,662	2,833
3-inch Compound Meter	1,308	2,546	3,854
4-inch Turbine Meter	1,661	2,647	4,308
4-inch Compound Meter	1,866	3,632	5,498
6-inch Turbine Meter	2,479	5,026	7,505
6-inch Compound Meter	2,615	6,939	9,554
Over 6-inch	At Cost	At Cost	At Cost

SERVICE CHARGES:

Establishment	\$	40.00
After Hour Service Charge		45.00
Reconnection (Delinquent)		40.00
Meter Test (If Correct)		50.00
Meter Re-Read (If Correct)		20.00
Deposit		*
Deposit Interest Per Annum		*
Re-Establishment (Within 12 Months)		**
NSF Check	\$	25.00
Deferred Payment Per Month		1.50%
Late Fee (Per Month)	1.5% or \$5.00 (whichever is greater)	

Monthly Service Charge for Fire Sprinkler

4-inch or Smaller	****
6-inch	****
8-inch	****
10-inch	****
Larger than 10-inch	****

* Per Commission Rule R14-2-403(B)(7).

** Number of months off system times the monthly minimum R14-2-403(D).

*** \$5.00 or 1.50 percent, whichever is greater.

**** 2.00% of monthly minimum for a comparable size meter connection, but no less than \$10.00 per month.

In addition to collecting its regular rates and charges, the Company shall collect from its customers a proportionate share of any privilege, sales, or use tax per A.A.C. R14-2-409(D).

ORIGINAL

OPERATIONS AND MAINTENANCE SURCHARGE TARIFF SCHEDULE

UTILITY: **Sandario Water Company Inc.**

DECISION NO: **76071**

DOCKET NO: **W-01831A-16-0197 and W-01831A-16-0293**

EFFECTIVE: **October 11, 2017**

MONTHLY OPERATIONS AND MAINTENANCE SURCHARGE	
5/8 x 3/4 Inch Meter	\$5.22
3/4 Inch Meter	\$7.84
1 Inch Meter	\$13.06
1 1/2 Meter	\$26.12
2 Inch Meter	\$41.79
3 Inch Meter	\$83.58
4 Inch Meter	\$130.59
6 Inch Meter	\$261.18

The above monthly surcharge is **in addition** to the current monthly rates and charges already in effect for the Company.

APPROVED FOR FILING
DECISION #: 76071

CROSS-CONNECTION OR BACKFLOW TARIFF

PURPOSE:

The purpose of this tariff is to protect Sandario Water Company, Inc. ("Company") water from the possibility of contamination caused by the backflow of contaminants that may be present on the customer's premises by requiring the installation and periodic testing of backflow prevention assemblies pursuant to the provisions of the Arizona Administrative Code ("A.A.C.") R14-2-405.B.6 and A.A.C. R18-4-215.

REQUIREMENTS:

In compliance with the Rules of the Arizona Corporation Commission ("Commission") and the Arizona Department of Environmental Quality ("ADEQ"), specifically A.A.C. R14-2-405.B.6 and A.A.C. R18-4-215 relating to backflow prevention:

1. The Company may require a customer to pay for and to have installed a backflow-prevention assembly if A.A.C. R18-4-215.B or C applies.
2. A backflow-prevention assembly required to be installed by the customer under Paragraph 1 of this tariff shall comply with the requirements set forth in A.A.C. R18-4-215.D and E.
3. Subject to the provisions of A.A.C. R14-2-407 and 410, and in accordance with Paragraphs 1 and 7 of this tariff, the Company may terminate service or may deny service to a customer who fails to install a backflow-prevention assembly as required by this tariff.
4. The Company shall give any existing customer who is required to install a backflow-prevention assembly written notice of said requirement. If A.A.C. R14-2-410.B.1.a. is **not** applicable, the customer shall be given thirty (30) days from the time such written notice is received in which to comply with this notice. If the customer can show good cause as to why he cannot install the backflow-prevention assembly within thirty (30) days, the Company or Commission Staff may suspend this requirement for a reasonable period of time.

****FOR OFFICIAL USE ONLY****

Effective Date: July 30, 2016

**ADMINISTRATIVELY
APPROVED FOR FILING**

Company Name: Sandario Water Company, Inc.

Page 2 of 2

5. Testing shall be in conformance with the requirements of A.A.C. R18-4-215.F. The Company may require the customer to pay to have the backflow-prevention assembly tested as long as the Company does not require an unreasonable number of tests.
6. The customer shall provide the Company with records of installation and testing. For each backflow-prevention assembly, these records shall include:
 - a. assembly identification number and description;
 - b. location;
 - c. date(s) of test(s);
 - d. description of repairs and recommendations for repairs made by tester; and
 - e. the tester's name and certificate number.
7. In the event the backflow-prevention assembly does not function properly or fails any test, and an obvious hazard as contemplated under A.A.C. R14-2-410.B.1.a. exists, the Company may terminate service immediately and without notice. The backflow-prevention assembly shall be repaired or replaced by the customer and retested.
8. In the event the backflow-prevention assembly does not function properly or fails any test, or in the event that a customer fails to comply with the testing requirement, and A.A.C. R14-2-410.B.1.a. is **not** applicable, the backflow-prevention assembly shall be repaired or replaced within fourteen (14) days of the initial discovery of the deficiency in the assembly or its function. Failure to remedy the deficiency or dysfunction of the assembly, or failure to retest, shall be grounds for termination of water service in accordance with A.A.C. R14-2-410.

****FOR OFFICIAL USE ONLY****

Effective Date: July 30, 2016

**ADMINISTRATIVELY
APPROVED FOR FILING**

ORIGINAL

Tariff Schedule

Utility: Sandario Water Company, Inc.
Docket No.: W-01831 A-01-0433
Phone No.: 520-623-5172

Tariff Sheet No.: 1 of 2
Decision No. 63915
Effective: August 6, 2001

CURTAILMENT PLAN FOR SANDARIO WATER COMPANY, INC.

The Company is authorized to curtail water service, to all customers, residential and commercial, within its certificated area under the following terms and conditions:

Stage 1 Exists When:

- a. The Company is able to maintain water storage in the system at 100 % of capacity and there are no known problems with its well production or water storage in the system.

Restrictions: Under Stage 1, the Company is deemed to be operating normally and no curtailment is necessary.

Notice Requirements: Under Stage 1, no notice is necessary.

Stage 2 Exists When:

- a. The Company's total storage and well production has been less than 80 % of capacity for at least 48 consecutive hours, and
- b. The Company has identified issues such as steadily declining water table, an increased draw-down threatening pump operations, and poor water production creating a reasonable belief the Company will be unable to meet anticipated water demands in the system.

Restrictions: Under Stage 2, the Company may request the customers to voluntarily employ water conservation measures to reduce water consumption by approximately 50 %. Outside watering should be limited to essential water, dividing outside watering on some uniform basis (such as even and odd days) and eliminating outside watering on weekends and holidays.

Notice Requirements: Under Stage 2, the Company is required to notify customers by delivering written notice door to door at each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such Notice shall notify the customers of the general nature of the problem and the need to conserve water.

Stage 3 Exists When:

- a. The Company's total storage and well production has been less than 50 % for at least 24 consecutive hours.
- b. The Company has identified issues such as a steadily declining water table, and increased draw down threatening pump operations creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

Restrictions: Under Stage 3, the Company shall request the customers to voluntarily employ water conservation measures to reduce daily consumption by approximately 50 %. All outside watering should be eliminated, except livestock, and indoor water conservation techniques should be employed wherever possible.

APPROVED FOR FILING
DECISION #: 63915

ORIGINAL

Tariff Schedule (continued)

Utility: Sandario Water Company, Inc.
Docket No.: W-01831 A-01-0433
Phone No.: 520-623-5172

Tariff Sheet No.: 2 of 2
Decision No. 63915
Effective: August 6, 2001

Notice Requirements: a. The Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the company's option, both. Such Notice shall notify the customers of the general nature of the problem and the need to conserve water.

b. Beginning with Stage 3, the Company shall post at least two signs showing curtailment stage. Signs shall be posted at the well site and at the entrance to the major subdivision served by the Company.

c. The Company shall notify the Consumer Services Section of the Utilities Division of the Commission at least 12 hours prior to entering Stage 3. In addition, the Company shall inform the Consumer Services Section of the Company's plans to correct the water shortage problem and how long the Company expects to remain in Stage 3.

Stage 4 Exists When:

- a. The Company's total storage has been less than 25 % for at least 12 consecutive hours.
- b. The Company has identified issues such as steadily declining water table, an increased draw-down threatening pump operations, and poor water production creating a reasonable belief the Company will be unable to meet anticipated water demands in the system.

Restrictions: Under Stage 4, the Company shall inform the customers of a mandatory restriction to employ water conservation measures to reduce daily consumption. All outside watering should be eliminated, except livestock, and indoor water conservation techniques should be employed wherever possible. Failure to comply will result in temporary disconnection.

Notice Requirements: a. The Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the company's option, both. Such Notice shall notify the customers of the general nature of the problem and the need to conserve water. In addition, the Company shall inform the Consumer Services Section of the Company's plans to correct the water shortage problem and how long the Company expects to remain in Stage 4. The Company shall immediately notify the Consumer Services Section when the Stage 4 restrictions are lifted.

b. The Company shall have posted at least two signs showing curtailment stage. Signs shall be posted at the well site and at the entrance to the major subdivision served by the Company.

c. The Company shall notify the Consumer Services Section of the Utilities Division of the Commission at least 12 hours prior to entering Stage 4.

d. Customers who fail to comply with cessation of outdoor use provisions will be given a written notice to end all outside use. Failure to comply within two (2) working days of receipt of the notice will result in temporary loss of service until an agreement can be made to end unauthorized use of outside water. To restore service, the customer shall be required to pay all authorized reconnection fees.

APPROVED FOR FILING

DECISION #: 63915

ORIGINAL

CROSS-CONNECTION OR BACKFLOW TARIFF

APPLICABILITY:

All customers served by Sandario Water Company, Inc.

PURPOSE:

To protect the public water supply from the possibility of contamination caused by backflow through unprotected cross-connections by requiring installation and periodic testing of backflow-prevention assemblies pursuant to provisions of Arizona Administrative Code (A.A.C.) R14-2-405.B.6 and A.A.C. R18-4-232.

REQUIREMENTS:

In compliance with the rules and regulations of the Arizona Corporation Commission and the Arizona Department of Environmental Quality (ADEQ), specifically A.A.C. R14-2-405.B.6 and A.A.C. R18-4-232 relating to backflow prevention:

1. Sandario Water Company, Inc. may require a customer to pay for and install a backflow-prevention assembly if A.A.C. R18-4-232.B or C applies.
2. A backflow-prevention assembly required to be installed by the customer under paragraph 1 of this tariff shall comply with the requirements set forth in A.A.C. R18-4-232. D and E.
3. Subject to the provisions of A.A.C R14-2-407 and 410 and in accordance with paragraphs 1 and 7 of this tariff, Sandario Water Company, Inc. may terminate service or deny service to a customer who fails to install a backflow-prevention assembly as required by this tariff.
4. Sandario Water Company, Inc. shall give any existing customer who is required to install a backflow-prevention assembly written notice of said requirement. If A.A.C. R14-2-410.B1.a. is not applicable, the customer shall be given thirty (30) days in which to comply with this notice. If the customer can show good cause as to why he cannot install the device within thirty (30) days, Sandario Water Company, Inc. or Commission staff may suspend this requirement for a reasonable period of time.
5. Testing shall be in conformance with the requirements of A.A.C. R18-4-232F. Sandario Water Company, Inc. may require the customer to pay to have the backflow-prevention assembly tested as long as the Company does not require an unreasonable number of tests. Sandario Water Company, Inc. may also require the customer to pay for repairs to a backflow-prevention assembly.

APPROVED FOR FILING
DECISION #: 58702

ORIGINAL

6. The customer shall provide Sandario Water Company, Inc. with records of installation and testing. For each backflow-prevention assembly, these records shall include:

- a. assembly identification number and description;
- b. location;
- c. date(s) of test(s);
- d. description of repairs and recommendations for repairs made by tester; and
- e. the tester's name and certificate number.

7A. In the event the backflow-prevention assembly does not function properly or fails any test, and a hazard as contemplated under A.A.C. R14-2-410.B.1.a. exists, Sandario Water Company, Inc. may terminate service immediately and without notice. The backflow-prevention assembly shall be repaired or replaced by the customer and retested before service is restored.

7B. In the event the backflow-prevention assembly does not function properly or fails any test, or in the event that a customer fails to comply with the testing requirement, and A.A.C. R14-2-410.B.1.a. is not applicable, the backflow-prevention assembly shall be repaired or replaced within fourteen (14) days of the initial discovery of the deficiency in the assembly or its function. Failure to remedy the deficiency or disfunction of the assembly, or failure to retest, shall be grounds for termination of water service in accordance with A.A.C. R14-2-410.

APPROVED FOR FILING
DECISION #: 58702