

ORIGINAL

TARIFF SCHEDULE

Page 1 of 1

Utility: Shepard Water Company, Inc.
Dockets: W-01537A-07-0264
W-01537A-07-0265

Decision No.: 70651
Effective Date: Januray 1, 2009

RATES AND CHARGES

Monthly Usage Charge:

Table with 2 columns: Meter size and Rate. Rows include Unmetered Rates - Residential, 5/8 by 3/4" Meter, 3/4" Meter, 1" Meter, 1 1/2" Meter, 2" Meter, 3" Meter, 4" Meter, 6" Meter.

Shepard Water Company Inc.
ACC Decision No. 70651

Service Line and Meter Installation Charges:

Table with 4 columns: Meter size, Service Line Charges, Meter Charges, Total Charges. Rows include 5/8 by 3/4" Meter, 3/4" Meter, 1" Meter, 1 1/2" Meter, 2" Meter, 3" Meter, 4" Meter, 6" Meter.

Gallon Charge - (Per 1,000 Gallons)

5/8-Inch x 3/4-Inch Meters

Table with 2 columns: Gallon range and Rate. Rows include 0 to 3,000 gallons, 3001 to 10,000 gallons, 10,001 and above gallons.

1-Inch Meters

Table with 2 columns: Gallon range and Rate. Rows include 0 to 40,000 gallons, 140,001 and above gallons.

Surcharges

Table with 2 columns: Surcharge description and Rate. Rows include System Replacement Surcharge - Phase I, Arsenic Surcharge.

Service Charge:

Table with 2 columns: Service charge description and Rate. Rows include Establishment, Establishment (After Hours), Reconnection (Delinquent), Reconnection (Delinquent - After Hours), Meter Test (If Correct), Deposit, Deposit Interest, Reestablishment (Within 12 Months), NSF Check, Deferred Payment, Meter Reread (If Correct), Late Payment Penalty, Fire Sprinkler System.

- \* Per Commission rule A.A.C. R-14-2-403(B)
\*\* Months off system times the monthly minimum per Commission rule A.A.C. R14-2-403(D)
\*\*\* 1.00% of Monthly Minimum for a Comparable Size Meter Connection, but no less than \$5.00 per month. The Service Charge for Fire Sprinklers is only applicable for service lines seperate and distinct for the primary water service line.

APPROVED FOR FILING
DECISION #: 70651

## TARIFF SCHEDULE

Utility: Shepard Water Company  
Docket No.: W-01537A-04-0713  
Phone No.: 928-783-9589

Sheet No: 1 of 4  
Decision No.: \_\_\_\_\_  
Effective: 10-29-04

# ORIGINAL

### CURTAILMENT PLAN FOR SHEPARD WATER COMPANY (Template 063004)

ADEQ Public Water System No: 14-014

**Shepard Water Company** ("Company") is authorized to curtail water service to all customers within its certificated area under the terms and conditions listed in this tariff.

This curtailment plan shall become part of the Arizona Department of Environmental Quality Emergency Operations Plan for the Company.

The Company shall notify its customers of this new tariff as part of its next regularly scheduled billing after the effective date of the tariff or no later than sixty (60) days after the effective date of the tariff.

The Company shall provide a copy of the curtailment tariff to any customer, upon request.

#### **Stage 1 Exists When:**

Company is able to maintain water storage in the system at 100 percent of capacity and there are no known problems with its well production or water storage in the system.

Restrictions: Under Stage 1, Company is deemed to be operating normally and no curtailment is necessary.

Notice Requirements: Under Stage 1, no notice is necessary.

#### **Stage 2 Exists When:**

- a. Company's water storage or well production has been less than 80 percent of capacity for at least 48 consecutive hours, and
- b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

Restrictions: Under Stage 2, the Company may request the customers to voluntarily employ water conservation measures to reduce water consumption by approximately 50 percent. Outside watering should be limited to essential water, dividing outside watering on some uniform basis (such as even and odd days) and eliminating outside watering on weekends and holidays.

ADMINISTRATIVELY  
APPROVED FOR FILING

REVISED: June 30, 2004

## TARIFF SCHEDULE

Utility: Shepard Water Company  
Docket No.: W-01537A-04-0713  
Phone No.: 928-783-9589

ORIGINAL

Sheet No: 2 of 4  
Decision No.: \_\_\_\_\_  
Effective: 10-29-04

Notice Requirements: Under Stage 2, the Company is required to notify customers by delivering written notice door to door at each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such notice shall notify the customers of the general nature of the problem and the need to conserve water.

### Stage 3 Exists When:

- a. Company's total water storage or well production has been less than 50 percent of capacity for at least 24 consecutive hours, and
- b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

Restrictions: Under Stage 3, Company shall request the customers to voluntarily employ water conservation measures to reduce daily consumption by approximately 50 percent. All outside watering should be eliminated, except livestock, and indoor water conservation techniques should be employed whenever possible. Standpipe service shall be suspended.

### Notice Requirements:

1. Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such Notice shall notify the customers of the general nature of the problem and the need to conserve water.
2. Beginning with Stage 3, Company shall post at least 6 signs showing the curtailment stage. Signs shall be posted at noticeable locations, like at the well sites and at the entrance to major subdivisions served by the Company.
3. Company shall notify the Consumer Services Section of the Utilities Division of the Corporation Commission at least 12 hours prior to entering Stage 3.

Once Stage 3 has been reached, the Company must begin to augment the supply of water by either hauling or through an emergency interconnect with an approved water supply in an attempt to maintain the curtailment at a level no higher than Stage 3 until a permanent solution has been implemented.

ADMINISTRATIVELY  
APPROVED FOR FILING

REVISED: June 30, 2004

## TARIFF SCHEDULE

Utility: Shepard Water Company  
Docket No.: W-01537A-04-0713  
Phone No.: 928-783-9589

Sheet No: 3 of 4  
Decision No.: \_\_\_\_\_  
Effective: 10-29-04

ORIGINAL

### Stage 4 Exists When:

- a. Company's total water storage or well production has been less than 25 percent of capacity for at least 12 consecutive hours, and
- b. Company has identified issues such as a steadily declining water table, increased draw down threatening pump operations, or poor water production, creating a reasonable belief the Company will be unable to meet anticipated water demand on a sustained basis.

Restrictions: Under Stage 4, Company shall inform the customers of a **mandatory** restriction to employ water conservation measures to reduce daily consumption. Failure to comply will result in customer disconnection. The following uses of water shall be prohibited:

- ◆ Irrigation of outdoor lawns, trees, shrubs, or any plant life is prohibited
- ◆ Washing of any vehicle is prohibited
- ◆ The use of water for dust control or any outdoor cleaning uses is prohibited
- ◆ The use of drip or misting systems of any kind is prohibited
- ◆ The filling of any swimming pool, spas, fountains or ornamental pools is prohibited
- ◆ The use of construction water is prohibited
- ◆ Restaurant patrons shall be served water only upon request
- ◆ Any other water intensive activity is prohibited

The Company's operation of its standpipe service is prohibited. The addition of new service lines and meter installations is prohibited.

### Notice Requirements:

1. Company is required to notify customers by delivering written notice to each service address, or by United States first class mail to the billing address or, at the Company's option, both. Such notice shall notify the customers of the general nature of the problem and the need to conserve water.
2. Company shall post at least 6 signs showing curtailment stage. Signs shall be posted at noticeable locations, like at the well sites and at the entrance to major subdivisions served by the Company.
3. Company shall notify the Consumer Services Section of the Utilities Division of the Corporation Commission at least 12 hours prior to entering Stage 4.

ADMINISTRATIVELY  
APPROVED FOR FILING

## TARIFF SCHEDULE

Utility: Shepard Water Company  
Docket No.: W-01537A-04-0713  
Phone No.: 928-783-9589

Sheet No: 4 of 4  
Decision No.: \_\_\_\_\_  
Effective: 10-29-04

# ORIGINAL

Once Stage 4 has been reached, the Company must augment the supply of water by hauling or through an emergency interconnect from an approved supply or must otherwise provide emergency drinking water for its customers until a permanent solution has been implemented.

Customers who fail to comply with the above restrictions will be given a written notice to end all outdoor use. Failure to comply within two (2) working days of receipt of the notice will result in temporary loss of service until an agreement can be made to end unauthorized use of outdoor water. To restore service, the customer shall be required to pay all authorized reconnection fees. If a customer believes he/she has been disconnected in error, the customer may contact the Commission's Consumer Services Section at 1-800-222-7000 to initiate an investigation.

ADMINISTRATIVELY  
APPROVED FOR FILING

REVISED: June 30, 2004

U-1537-94-290

BACKFLOW PREVENTION TARIFF

===== ARIZONA CORPORATION COMMISSION =====

AUG 22 10 25 AM '94

Shepard Water Company (hereinafter referred to as "Company") herewith sets forth the following backflow prevention and cross connection requirements applicable to all customers of Company. DOCUMENT CONTROL

I. PURPOSE :

To protect the public water supply from potential contamination caused by backflow from cross-connections through the installation of approved backflow prevention devices and periodic testing of said devices by persons certified in accordance with the applicable rules and regulations of all governmental agencies having jurisdiction.

II. REQUIREMENTS :

In accordance with the rules and regulations of the Arizona Corporation Commission (ACC) and the Arizona Department of Environmental Quality (ADEQ), and specifically Arizona Administrative Code (AAC) R14-2-405.B.6 and AAC R18-4-232, referencing backflow prevention, the following requirements are herewith set forth:

- A) Company may require customer to pay for and install a backflow prevention device if AAC R18-4-232.B or C is applicable.
- B) In accordance with the requirements of AAC R14-2-407 and AAC R14-2-410 of this tariff, Company may terminate service to any customer failing to install a backflow prevention device, when required to do so.
- C) A backflow prevention device required to be installed by customer under paragraph I)A) of this tariff shall be in accordance with the requirements as set forth in AAC R18-4-232.D and E.
- D) Company shall provide existing customers thirty (30) days written notice of customer's requirement to install a backflow prevention device. In the event AAC R14-2-410.B1.a is not applicable, then customer shall be provided thirty days to comply with this notice. In the event customer can show good and reasonable cause as to why customer cannot proceed with the installation of the required backflow

ORIGINAL

APPROVED FOR FILING  
DECISION #: 58784

prevention device, then Company or ACC staff may suspend this requirement for a reasonable period of time.

E) All testing shall be in accordance with the requirements of AAC R18-4-232F. Company may require customer to pay to have the backflow prevention device tested as long as the Company does not require an unreasonable number of tests. In addition, Company may require customer to pay for all repairs, replacement and modifications of customer's backflow prevention device as may be required from time to time by agencies of the government having jurisdiction.

F) Customer shall provide to Company copies of all records pertinent to the installation, testing, maintenance, repair and replacement of customer's backflow prevention device of which said records shall include:

- i) Name and certification number of tester.
- ii) Date of test or other activity as described above.
- iii) Description of repairs and recommendations for additional work, if any, as submitted by tester.
- iv) Date or dates of tests performed by tester.
- v) Location and backflow prevention device assembly identification number and description.

### III TERMINATION OF SERVICE:

-----

A) Should customer's backflow prevention device fail to function properly for any reason, or fail any test and a hazard as contemplated by AAC R14-2-410.B.1.a is in existence, then Company may terminate service to customer immediately and without notice. Service may not be restored until such time as customer's backflow prevention device is tester certified to be in good working condition.

B) Should customer's backflow prevention device fail to function properly for any reason or fail any test or customer fails to comply with the testing requirements and ACC R14-2-410.B.1.a is not applicable, then customer's backflow prevention device shall be repaired or replaced within fourteen (14) days of the customer's backflow prevention device being found to be deficient. Failure of customer to resolve the deficiency within the fourteen (14) day period provided shall be grounds for termination of service as set forth in ACC R14-2-410. Service may not be restored until such time as customer's backflow prevention device is tester certified to be in good working condition.

ORIGINAL

APPROVED FOR FILING  
DECISION #: 58784